

UCAN

FASTENING PRODUCTS

BUILDING LASTING CONNECTIONS

Point of Purchase Display Catalogue



About UCAN

UCAN Fastening Products has specialized in the production and distribution of concrete anchors and other fastening products for over 50 years. UCAN strives to provide the most practical and cost effective solutions to meet the anticipated needs of designers and contractors. UCAN takes pride in the consistent high quality of its' products as well as the in-depth knowledge and helpfulness of its' sales staff.

Timely Delivery

UCAN keeps its Toronto warehouse well stocked with over 1,100 stock types and sizes of anchors and accessories. As a result, over 97% of all regular orders are usually filled from inventory and shipped within 3-6 hours of being placed.

Technical Services

Our technical staff and knowledgeable inside and outside sales people are readily available to provide technical assistance, product support, and field tests when required.

Innovative Products

Through a constant program of R & D, UCAN develops and improves products to meet the genuine needs of designers and contractors.

Emphasis On Quality

UCAN products are made to the highest quality standards. Each production batch is strictly quality-controlled to assure consistent performance.

Special Sizes And Custom Coatings

UCAN is especially well equipped to supply many types of application specific anchors. Custom sizes and protective coatings are available to meet design requirements.



CONCRETE DRILLING

UCAN carbide tipped drill bits are designed for fast, accurate drilling of correctly sized holes which are needed to ensure optimum anchor performance. All fractional inch sizes conform to ANSI tolerances and metric sizes adhere to DIN standards. Improved flutes remove dust efficiently to prevent heat build-up and increase bit life.

CONTENTS



UCAN
SUPER PAK
DISPLAY

рд. 3**-**6



FLO-ROK DISPLAY

pg. 7-8



UCAN UCAN ID-BOK

TWISTER DISPLAY

pg. 9



DCC DISPLAY

рg. 10



SCRU-IT DISPLAY

рg. 11-12



UCAN SUPER PAK DISPLAY



FILLED RACK

\$4,350

*Get the display rack for FREE for every package

170 cm 66.9 in



UCAN SUPER PAK DISPLAY



JARS POP PACKAGE

PART NO.	PCS.
PEGS - SDS PLUS BITS	
SDS5326	10
SDS3164	10
SDS3166	10
SDS144	10
SDS146	10
SDS386	10
SDS126	10
SDS586	10



*Please contact your UCAN sales representative or our customer service department for details. Display may not be exactly as illustrated.

PART NO.	JARS
TOP SHELF UBP810K UBP1012K UYP48K UYP812K JET100K TWISTER KS ZAM141K	6 6 6 6 6
SECOND SHELF STH8916K STP8916K SPW8916K TPW812K TSP812K TSP834K TSP81K	6 6 6 6 6
THIRD SHELF TSP1034K TSP10112K THW812K THW834K THW81K THW81I2K THW8112K THW1034K	6 6 6 6 6
THW10112K TSP101K TLS142K TSW1034K TRP812KSS TRH812KSS TRP1034KSS	6 6 6 6 6

UCAN



STAINLESS STEEL

SOCKET PAN HEAD

410 Stainless Steel Hardened RUSPRO® Coated





Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TRP 812KSS TRP 1034KSS	8-18 X 1/2 10-16 X 3/4	2	.100/12 ga .175/7 ga	1,000 500	6	18 18

HEX WASHER HEAD

410 Stainless Steel Hardened RUSPRO® Coated



ı	TRH 812KSS	8-18 X 1/2	2	.100/12 ga	1,000	6	18	
ı	TRH 1034KSS	10-16 X 3/4	3	.175/7 ga	500	6	19	
ı	TRH 1234KSS	12-14 X 3/4	3	.210/5 ga	500	6	28	
ı	TRH 121KSS	12-14 X I	3	.210/5 ga	500	6	30	
ı	TRH 1434KSS	1/4-14 X 3/4	3	.220/4 ga	300	6	23	
ı	TRH 141KSS	1/4-14 X I	3	.220/4 ga	300	6	26	
ı								

PHILLIPS MODIFIED TRUSS HEAD

410 Stainless Steel Hardened RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.	
TRW 812KSS	8-18 X 1/2	2	.100/12 ga	6000	18	

LIGHT - MEDIUM APPLICATIONS

SOCKET PAN HEAD

Zinc Plated





			Drilling	Jar	Case	Case	
Part No.	Size	Point	Capacity	Qty.	Qty.	Wt.	
TSP 612K	6-20 X 1/2	2	.090/13 ga	1000	6	13	
TSP 812K	8-18 X 1/2	2	.100/12 ga	1000	6	20	
TSP 858K	8-18 X 5/8	2	.100/12 ga	1000	6	23	
TSP 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26	
TSP 81K	8-18 X I	2	.100/12 ga	1000	6	32	
TSP 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22	
TSP 1012K	10-16 X 1/2	2	.110/12 ga	1000	6	25	
TSP 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	31	
TSP 1034K	10-16 X 3/4	3	.175/7 ga	500	6	18	
TSP IOIK	10-16 X I	3	.175/7 ga	500	6	22	
TSP 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25	
TSP 10112K	10-16 X 1-1/2	3	.175/7 ga	400	6	24	

HEX WASHER HEAD

Zinc Plated





			Drilling	Jar	Case	Case	
Part No.	Size	Point	Capacity	Qty.	Qty.	Wt.	
THW 812K	8-18 X 1/2	2	.100/12 ga	1000	6	21	
THW 858K	8-18 X 5/8	2	.100/12 ga	1000	6	26	
THW 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26	
THW 81K	8-18 X I	2	.100/12 ga	800	6	26	
THW 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22	
THW 1012K	10-16 X 1/2	2	.100/12 ga	1000	6	29	
THW 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	32	
THW 1034K	10-16 X 3/4	3	.175/7 ga	500	6	19	
THW I0IK	10-16 X I	3	.175/7 ga	500	6	22	
THW 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25	
THW 10112K	10-16 X 1-1/2	3	.175/7 ga	300	6	19	
THW 1234K	12-14 X 3/4	3	.210/5 ga	500	6	26	
THW 121K	12-14 X I	3	.210/5 ga	500	6	28	
THW 12112K	12-14 X 1-1/2	3	.210/5 ga	300	6	23	
THW 122K	12-14 X 2	3	.210/5 ga	250	6	14	
THW 1434K	1/4-14 X 3/4	3	.220/4 ga	300	6	22	
THW 141K	1/4-14 X I	3	.220/4 ga	300	6	26	
THW 14114K	1/4-14 X 1-1/4	3	.220/4 ga	300	6	30	
THW 14112K	1/4-14 X 1-1/2	2 3	.220/4 ga	250	6	39	

PHILLIPS MODIFIED TRUSS HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.	
TPW 812K	8-18 X 1/2	2	.100/12 ga	1,000	6	28	

SHARP POINT SCREWS







Part No.	Head Style	Size	Jar Qty.	Case Qty.	Case Wt.
UTH 1034K	IHWH	10-16 X 3/4	700	6	24
STH 8916K	IHWH	8 X 9/16	1,000	6	21
STP 8916K	soc.pan	8 X 9/16	1,000	6	22

PHILLIPS MODIFIED TRUSS HEAD SHARP POINT

Zinc Plated





1,000 23 SPW 8916K 8 X 9/16 6

UCAN SUPER PAK



HEAVY GAUGE APPLICATIONS HEX WASHER HEAD RUSPRO® Coated

			Drilling	Jar	Case	Case	
Part No.	Size	Point	Capacity	Qty.	Qty.	Wt.	
TRH 1278K4	12-24 X 7/8	4	.312/ 5/16"	500	6	26	
TRH 12114K5	12-24 X I-1/4	5	.500/ 1/2"	500	6	37	
TRH 12112K5	12-24 X I-I/2	5	.500/ 1/2"	300	6	28	
TRH 122K5	12-24 X 2	5	.500/ 1/2"	250	6	27	

WOOD TO METAL APPLICATIONS

SOCKET WAFER HEAD WITHOUT REAMER

Zinc Plated



			Drilling	Jar	Case	Case	
Part No.	Size	Point	Capacity	Qty.	Qty.	Wt.	
TSW 1034K TSW 101K TSW 10114K	10-24 X 3/4	3	.175/7 ga	500	6	18	
TSW 101K	10-24 X I	3	.175/7 ga	500	6	23	
TSW 10114K	10-24 X I-1/4	3	.175/7 ga	300	6	26	

SOCKET WAFER HEAD REAMER SCREWS

Zinc Plated



TSW 10112RK	10-24 X 1-1/2	3	.175/7 ga	300	6	19
TSW 122RK	12-24 X 2	4	.312/5/16"	200	6	24
TSW 12212RK	12-24 X 2-1/2	4	.312/5/16"	150	6	23
TSW 123RK	12-24 X 3	4	.312/5/16"	100	6	24

ACOUSTIC EYE LAG SCREW

Zinc Plated

I Installation tool (DLS 3) in each jar







Part No.	Size	point	Jar	Case Qty.	Case Qty.	
TLS 142K TLS 142KN		2 2	200 150	6	24 24	

CB SCREWS



Part No.	Size	point	Jar	Case Qty.	Case Qty.	
CBS 114K CBS 158K CBS 214K CBT 114K CBT 158K	8 X 1-1/4 8 X 1-5/8 8 X 2-1/4 8 X 1-1/4 8 X 1-5/8	2 2	500 500 250 500 500	6 6 6 6	18 23 16 19 23	







FR5-10 MAX DISPLAY

COMING SOON





Part No.Description	Case Qty.	Case Wt.
FR5-10 MAX10 oz Cartridge	12	14

*Please contact your UCAN sales representative or our customer service department for details.



FR5-10 MAX

- MTO / MTQ Approved
- Year round use
- Broad working temperature range from -20°C to +30°C
- Excellent for both solid and hollow wall applications
- Smooth flowing, non-drip, easy to control
- User friendly low odour, styrene free and MMA free
- Moisture insensitive, non sag formula
- Suitable for damp and water filled holes
- Meets LEED guidelines; low VOC



IAPMO-ES® Listed - ER0490



Scan to watch the video for proper installation

TWISTER DISPLAY

UCAN



*Get the display rack for FREE for every package

Scan to watch the video for proper installation





32 cm 12.5 in



Part No. Description	Pkg. Qty.	Qty./ cs.
TWISTER CS	25	48
(includes #8 screw)		

PRODUCT FEATURES

- QUICK INSTALLATION
- CLEAN CUTTING
- SECURE GRIP
- FLUSH FINISH
- HIGH STRENGTH NYLON
- ✓ INSTALL BOTH ANCHOR & SCREW WITH #2 PH BIT

*Please contact your UCAN sales representative or our customer service department for details.





*Get the display rack for FREE for every package

DCC POP PACKAGE

PART NO.	DIAMETER	QTY.
DCC 14	1/4"	7
DCC 316	3/16"	7
DCC 516	5/16"	7
DCC 38	3/8"	7
DCC 12	1/2"	7
DCC 58	5/8"	7
DCC 34	3/4"	5
DCC MP		7

Scan to watch the video for proper installation



^{*}Please contact your UCAN sales representative or our customer service department for details.

SCRU-IT DISPLAY

UCAN

FILLED RACK

4,750

*Get the display rack for FREE for every package





Scan to watch our latest UCAN Super Scru-it promo video!

UCAN SCHU-IT UCAN ICRU-IT 43 cm 16.9 in UCAN 76 cm 29.9 in

*Please contact your UCAN sales representative or our customer service department for details.

Display may not be exactly as illustrated.

185 cm 72.8 in



SCRU-IT DISPLAY PACKAGE

PEGS

PART NO.	QTY.
PEGS x 4 - DRILL BITS	
SCS5325	10
SCS5327	10
SCS3165	10
SCS3167	10

PART NO.	QTY. / CS.
PEGS x 13	
SCH316114CS	25
SCH316134CS	25
SCH316234CS	25
SCH14114CS	25
SCH14134CS	25
SCH14214CS	25
SCH14234CS	18
SCH14314CS	18
SCH144CS	18
SCP316134CS	25
SCP316214CS	25
SCP316234CS	25
SCP14134CS	25
(Suffix CS = clamshell)	
Each clamshell contains 50 sc	rews & I drill bit

SCH 144CS contains 25 screws & I drill bit

SHELVES

PART NO.	QTY. / JAR	QTY.
TOP SHELF		
SCH316114K	300	6
SCH316134K	300	6
SCH316234K	150	6
SCH14114K	300	6
SCH14134K	300	6

PART NO.	QTY. / JAR	QTY.
SECOND SHELF		
SCP316134K	300	6
SCP316214K	150	6
SCP14134K	300	6
SCRU-TOOL PLU	JS	8

PART NO.	QTY.
THIRD SHELF	
SCH316114	1000
SCH14134	1000
SCH14114	1000
SCH316134	1000
SCH14214	1000
SCH14234	1000
SCH14314	1000



SCRU-TOOL PLUS

with 2 SDS Plus Drill Bits



UCAN FASTENING PRODUCTS

COMPANY HISTORY

Established in 1967 by Harry Weitz, UCAN FASTENING PRODUCTS has been supplying high quality masonry and metal fasteners to the construction industry for over 50 years. With his extensive technical background in construction and architecture, Harry has always possessed a keen interest in fastener design, function and application.

Starting out as a wholesale distributor of innovative fastening products, made in the USA and Europe, UCAN was instrumental in bringing wedge anchors, concrete screws and galvanized spiral nail anchors to the Canadian market in the 1950s and 60s. Harry personally developed the EP932 tie wire anchor, which reduced installation time by 50%, as well as UCAN SCRU-IT®'s unique and efficient scalloped cutting thread. These fasteners gained immediate success in the marketplace.

From its' humble beginnings in part of a cramped warehouse, UCAN currently operates from an efficient 35,000 sq ft facility in Toronto.

UCAN's tight knit team of experienced, caring and knowledgeable outside and inside employees, provide an unrivalled level of customer service. Most orders are shipped the day they are received and order fill rates generally exceed 97%. Also key to UCAN's success is the company's philosophy of constant product improvement through R&D and strict quality control at all stages of production.







UCAN remains a family owned business. While still involved at UCAN, Harry has passed the reins of the daily operation to his son, Jeremy who has been working at UCAN for over 30 years.

Jeremy and Harry Weitz









For more information on anchor selection and design criteria, as well as the latest performance data, please contact UCAN or visit our website at www.ucanfast.com

DISCLAIMER OF WARRANTIES AND LIABILITY

UCAN Fastening Products (UCAN) accepts no responsibility in case of any damage, loss, or injury, direct, indirect, incidental or consequential that results from the use of, or the inability to use, the text and technical data contained in the current or any subsequent editions and/or versions of the price list, technical manual or any other UCAN publications. All recommendations or suggestions for use of UCAN products are made without guarantee. Furthermore, UCAN accepts no responsibility for the performance of its products since the conditions of use are not under its control. Goods proved to be defective will be replaced, but UCAN accepts no responsibility beyond the cost of the goods supplied. Furthermore, UCAN accepts no responsibility in case of damage that results from non-compliance with the manufacturer's installation instructions, improper sizing of anchor fastening by customer, inadequate load bearing properties of anchoring base material, improper applications, or any other factor not brought to the prior attention of UCAN.

Except as provided in this clause, UCAN accepts no liability with respect to delay in delivery or any injury, damage or loss resulting from the use of its products.

Limitation of damages – UCAN will not be liable to DISTRIBUTOR for loss of future sales, loss of profits or goodwill, loss of use or incidental, indirect, consequential or special damages. UCAN's liability under this agreement, including its indemnification obligations, will not individually or in the aggregate exceed the amounts paid to UCAN by DISTRIBUTOR for the products giving rise to such liability. EXCEPT FOR THE APPLICABLE LIMITED WARRANTY, UCAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED (INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT) CONCERNING ANY PRODUCT, AND ALL OTHER GUARANTEES, WARRANTIES, CONDITIONS AND REPRESENTATIONS, EITHER EXPRESS OR IMPLIED, ARE EXCLUDED

UCAN Fastening Products is a division of British Fastening Systems Limited



BUILDING LASTING CONNECTIONS



155 Champagne Drive, Unit 10

Toronto, Ontario, M3J 2C6

Tel.: 416.631.9400 Fax: 416.631.9426

Email: sales@ucanfast.com

www.ucanfast.com

©2022 UCAN FASTENING PRODUCTS

