



Ucan

FASTENING PRODUCTS
BUILDING LASTING CONNECTIONS

Point of Purchase Display Catalogue

About UCAN

UCAN Fastening Products has specialized in the production and distribution of concrete anchors and other fastening products for over 50 years. UCAN strives to provide the most practical and cost effective solutions to meet the anticipated needs of designers and contractors. UCAN takes pride in the consistent high quality of its' products as well as the in-depth knowledge and helpfulness of its' sales staff.

Timely Delivery

UCAN keeps its Toronto warehouse well stocked with over 1,100 stock types and sizes of anchors and accessories. As a result, over 97% of all regular orders are usually filled from inventory and shipped within 3-6 hours of being placed.

Technical Services

Our technical staff and knowledgeable inside and outside sales people are readily available to provide technical assistance, product support, and field tests when required.

Innovative Products

Through a constant program of R & D, UCAN develops and improves products to meet the genuine needs of designers and contractors.

Emphasis On Quality

UCAN products are made to the highest quality standards. Each production batch is strictly quality-controlled to assure consistent performance.

Special Sizes And Custom Coatings

UCAN is especially well equipped to supply many types of application specific anchors. Custom sizes and protective coatings are available to meet design requirements.



CONCRETE DRILLING

UCAN carbide tipped drill bits are designed for fast, accurate drilling of correctly sized holes which are needed to ensure optimum anchor performance. All fractional inch sizes conform to ANSI tolerances and metric sizes adhere to DIN standards. Improved flutes remove dust efficiently to prevent heat build-up and increase bit life.

UCAN SUPER PAK DISPLAY

pg. 3-8



FLO-ROK DISPLAY

pg. 9-10



TWISTER DISPLAY

pg. 11



DCC DISPLAY

pg. 12



SCRU-IT DISPLAY

pg. 13-14



DRILL BIT DISPLAY

pg. 15-16





JARS POP PACKAGE

PART NO.	PCS.
PEGS - SDS PLUS BITS	
SDS5326	10
SDS3164	10
SDS3166	10
SDS144	10
SDS146	10
SDS386	10
SDS126	10
SDS586	10



**Please contact your UCAN sales representative or our customer service department for details. Display may not be exactly as illustrated.*

PART NO.	JARS
TOP SHELF	
UBP810K	6
UBP1012K	6
UYP48K	6
UYP812K	6
JET100K	6
TWISTER KS	6
ZAMI41K	6
SECOND SHELF	
STH8916K	6
STP8916K	6
SPW8916K	6
TPW812K	6
TSP812K	6
TSP834K	6
TSP81K	6
THIRD SHELF	
TSP1034K	6
TSP10112K	6
THW812K	6
THW834K	6
THW81K	6
THW8112K	6
THW1034K	6
BOTTOM SHELF	
THW10112K	6
TSP101K	6
TLS142K	6
TSW1034K	6
TRP812KSS	6
TRH812KSS	6
TRP1034KSS	6


Purchase \$5,000 worth of products (listed on page 5-8) receive 1 FREE Display Rack

Value of Display Rack: \$500

U-DRILLS® 100 PACKS

SOCKET PAN HEAD


Zinc Plated



Part No.	Size	Point	Drilling Capacity	Pkg. Qty.	Case Qty.	Case Wt.
TSP 612	6-20 X 1/2	2	.090/13 ga	100	1,000	3
TSP 812	8-18 X 1/2	2	.100/12 ga	100	1,000	5
TSP 858	8-18 X 5/8	2	.100/12 ga	100	1,000	5
TSP 834	8-18 X 3/4	2	.100/12 ga	100	1,000	5
TSP 81	8-18 X 1	2	.100/12 ga	100	1,000	6
TSP 1012	10-16 X 1/2	2	.110/12 ga	100	1,000	5
TSP 1034	10-16 X 3/4	3	.175/7 ga	100	1,000	7
TSP 101	10-16 X 1	3	.175/7 ga	100	1,000	7

SOCKET WAVER HEAD


Zinc Plated




Part No.	Size	Point	Drilling Capacity	Pkg. Qty.	Case Qty.	Case Wt.
TSW 1034	10-24 X 3/4	3	.175/7 ga	100	1,000	7
TSW 101	10-24 X 1	3	.175/7 ga	100	1,000	7
TSW 10114	10-24 X 1-1/4	3	.175/7 ga	100	1,000	9
TSW 10112	10-24 X 1-1/2	3	.175/7 ga	100	1,000	10
TSW 122	12-24 X 2	3	.210/5 ga	100	1,000	18
TSW 10112R	10-24 X 1-1/2	3	.175/7 ga	100	1,000	11
TSW 122R	12-24 X 2	4	.312/5/16"	100	1,000	18
TSW 12212R	12-24 X 2-1/2	4	.312/5/16"	100	1,000	19
TSW 123R	12-24 X 3	4	.312/5/16"	100	1,000	26

HEX WASHER HEAD

Zinc Plated




Part No.	Size	Point	Drilling Capacity	Pkg. Qty.	Case Qty.	Case Wt.
THW 812	8-18 X 1/2	2	.100/12 ga	100	1,000	5
THW 858	8-18 X 5/8	2	.100/12 ga	100	1,000	5
THW 834	8-18 X 3/4	2	.100/12 ga	100	1,000	5
THW 81	8-18 X 1	2	.100/12 ga	100	1,000	6
THW 1012	10-16 X 1/2	2	.110/12 ga	100	1,000	6
THW 10112	10-16 X 1-1/2	3	.175/7 ga	100	1,000	10
THW 1034	10-16 X 3/4	3	.175/7 ga	100	1,000	7
THW 101	10-16 X 1	3	.175/7 ga	100	1,000	8
THW 1234	12-14 X 3/4	3	.210/5 ga	100	1,000	9
THW 121	12-14 X 1	3	.210/5 ga	100	1,000	11
THW 12112	12-14 X 1-1/2	3	.210/5 ga	100	1,000	14
THW 1434	1/4-14 X 3/4	3	.220/4 ga	100	1,000	13
THW 141	1/4-14 X 1	3	.220/4 ga	100	1,000	15
THW 14112	1/4-14 X 1-1/2	3	.220/4 ga	100	1,000	19



ZAMAC PIN BOLTS

WITH ZINC PLATED STEEL NAIL



Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.
ZAM 31678 *	3/16 X 7/8	100	1,000	15
ZAM 141 *	1/4 X 1	100	1,000	19
ZAM 14114 *	1/4 X 1-1/4	100	1,000	23
ZAM 14112	1/4 X 1-1/2	100	1,000	26
ZAM 142	1/4 X 2	100	1,000	32
ZAM 143	1/4 X 3	100	600	28

* Available in Super Pak Jar (See Page 32)

WITH STAINLESS STEEL NAIL

Part No.	Size	Pkg. Qty.	Case Qty.	Case Wt.
ZAM 141SS	1/4 X 1	100	1,000	19
ZAM 14114SS	1/4 X 1-1/4	100	1,000	23
ZAM 14112SS	1/4 X 1-1/2	100	1,000	26
ZAM 142SS	1/4 X 2	100	1,000	32

BULK PACK WITH ZINC PLATED STEEL NAIL

Part No.	Size	Case Qty.	Case Wt.
ZAM 31678B	3/16 X 7/8	5,000	46
ZAM 141B	1/4 X 1	2,500	48
ZAM 14114B	1/4 X 1-1/4	2,000	45
ZAM 14112B	1/4 X 1-1/2	1,800	46
ZAM 142B	1/4 X 2	1,250	40
ZAM 143B	1/4 X 3	700	31

SUPER SCRUI-IT


- scalloped thread cuts deep grooves in a wide variety of masonry materials
- Much higher holding power than other thread designs
- Completely stress free - may be installed close to edges
- Works where others fail in difficult substrates (e.g. horizontal mortar joints)
- Available with either straight shank or SDS drill systems
- RUSPRO® coated for maximum corrosion resistance in exposed environments
- SCRUI-IT box with flip-out side for easy access.

MASONRY ANCHOR SYSTEM




SUPER SCRUI-IT® ANCHORS

BLUE RUSPRO® COATED



Packaged in boxes of 100 pcs.
1 drill bit included in each box.



HEX WASHER-HEAD				PHILLIPS FLAT-HEAD			
Part No.	Size	Case Qty.	Wt.	Part No.	Case Qty.	Wt.	
SCH 31634	3/16 X 3/4	1,000	7	SCP 316114	1,000	10	
SCH 316114	3/16 X 1-1/4	1,000	12	SCP 316134	1,000	14	
SCH 316134	3/16 X 1-3/4	1,000	17	SCP 316214	1,000	20	
SCH 316214	3/16 X 2-1/4	1,000	23	SCP 316234	1,000	27	
SCH 316234	3/16 X 2-3/4	1,000	31	SCP 316314	1,000	37	
SCH 316314	3/16 X 3-1/4	1,000	32	SCP 3164	1,000	27	
SCH 3164	3/16 X 4	1,000	19	SCP 14114	1,000	23	
SCH 14114	1/4 X 1-1/4	1,000	26	SCP 14134	1,000	31	
SCH 14134	1/4 X 1-3/4	1,000	37	SCP 14214	1,000	32	
SCH 14214	1/4 X 2-1/4	1,000	27	SCP 14234	1,000	31	
SCH 14234	1/4 X 2-3/4	1,000	37	SCP 14314	1,000	37	
SCH 14314	1/4 X 3-1/4	1,000	32	SCP 144	1,000	27	
SCH 144	1/4 X 4	1,000	27	SCP 145	600	27	
SCH 145	1/4 X 5	600	27	SCP 146	600	32	
SCH 146	1/4 X 6	600	32				

SUPER SCRUI-IT® BULK PACKS


Drill bits not included

HEX WASHER-HEAD				PHILLIPS FLAT-HEAD			
Part No.	Size	Case Qty.	Wt.	Part No.	Case Qty.	Wt.	
SCH 31634B	3/16 X 3/4	5,000	31	SCP 316114B	4,000	36	
SCH 316114B	3/16 X 1-1/4	4,000	30	SCP 316134B	3,000	25	
SCH 316134B	3/16 X 1-3/4	3,000	23	SCP 316214B	2,000	16	
SCH 316214B	3/16 X 2-1/4	2,000	18	SCP 316234B	1,500	32	
SCH 316234B	3/16 X 2-3/4	1,500	34	SCP 316314B	800	33	
SCH 316314B	3/16 X 3-1/4	800	25	SCP 3164B	800	24	
SCH 3164B	3/16 X 4	800	26	SCP 14114B	2,500	27	
SCH 14114B	1/4 X 1-1/4	2,500	21	SCP 14134B	2,000	21	
SCH 14134B	1/4 X 1-3/4	2,000	24	SCP 14214B	1,500	24	
SCH 14214B	1/4 X 2-1/4	1,500	26	SCP 14234B	1,000	24	
SCH 14234B	1/4 X 2-3/4	1,000	26	SCP 14314B	800	26	
SCH 14314B	1/4 X 3-1/4	800	27	SCP 144B	700	27	
SCH 144B	1/4 X 4	700	27	SCP 145B	600	27	
SCH 145B	1/4 X 5	600	27	SCP 146B	400	21	
				SCP 147B	400	24	


SUPER SCRUI-IT® SILVER

SILVER RUSPRO® COATED

- Square Socket Drive
- Flat Countersink Head



Packaged in boxes of 100 pcs.
1 drill bit included in each box.



Part No.	Size	Driver Size	Fastens up to	Case Qty.
SCR 316114	3/16 X 1-1/4	#2	1/4"	1,000
SCR 316134	3/16 X 1-3/4	#2	3/4"	1,000
SCR 316214	3/16 X 2-1/4	#2	1-1/4"	1,000
SCR 316234	3/16 X 2-3/4	#2	1-3/4"	1,000
SCR 316314	3/16 X 3-1/4	#2	2-1/4"	1,000
SCR 3164	3/16 X 4	#2	3"	1,000
SCR 14114	1/4 X 1-1/4	#3	1/4"	1,000
SCR 14134	1/4 X 1-3/4	#3	3/4"	1,000
SCR 14214	1/4 X 2-1/4	#3	1-1/4"	1,000
SCR 14234	1/4 X 2-3/4	#3	1-3/4"	1,000
SCR 14314	1/4 X 3-1/4	#3	2-1/4"	1,000

SUPER SCRUI-IT® SILVER BULK PACKS

Drill bits not included

Part No.	Size	Driver Size	Fastens up to	Case Qty.
SCR 316114B	3/16 X 1-1/4	#2	1/4"	4,000
SCR 316134B	3/16 X 1-3/4	#2	3/4"	3,000
SCR 316214B	3/16 X 2-1/4	#2	1-1/4"	2,000
SCR 316234B	3/16 X 2-3/4	#2	1-3/4"	1,500
SCR 316314B	3/16 X 3-1/4	#2	2-1/4"	800
SCR 3164B	3/16 X 4	#2	3"	800
SCR 14114B	1/4 X 1-1/4	#3	1/4"	2,500
SCR 14134B	1/4 X 1-3/4	#3	3/4"	2,000
SCR 14214B	1/4 X 2-1/4	#3	1-1/4"	1,500
SCR 14234B	1/4 X 2-3/4	#3	1-3/4"	1,000
SCR 14314B	1/4 X 3-1/4	#3	2-1/4"	800



STAINLESS STEEL

SOCKET PAN HEAD

410 Stainless Steel Hardened RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TRP 812KSS	8-18 X 1/2	2	.100/12 ga	1,000	6	18
TRP 1034KSS	10-16 X 3/4	3	.175/7 ga	500	6	18

HEX WASHER HEAD

410 Stainless Steel Hardened RUSPRO® Coated



TRH 812KSS	8-18 X 1/2	2	.100/12 ga	1,000	6	18
TRH 1034KSS	10-16 X 3/4	3	.175/7 ga	500	6	19
TRH 1234KSS	12-14 X 3/4	3	.210/5 ga	500	6	28
TRH 121KSS	12-14 X 1	3	.210/5 ga	500	6	30
TRH 1434KSS	1/4-14 X 3/4	3	.220/4 ga	300	6	23
TRH 141KSS	1/4-14 X 1	3	.220/4 ga	300	6	26

PHILLIPS MODIFIED TRUSS HEAD

410 Stainless Steel Hardened RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Case Qty.	Case Wt.
TRW 812KSS	8-18 X 1/2	2	.100/12 ga	6000	18

LIGHT - MEDIUM APPLICATIONS

SOCKET PAN HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TSP 612K	6-20 X 1/2	2	.090/13 ga	1000	6	13
TSP 812K	8-18 X 1/2	2	.100/12 ga	1000	6	20
TSP 858K	8-18 X 5/8	2	.100/12 ga	1000	6	23
TSP 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26
TSP 81K	8-18 X 1	2	.100/12 ga	1000	6	32
TSP 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22
TSP 1012K	10-16 X 1/2	2	.110/12 ga	1000	6	25
TSP 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	31
TSP 1034K	10-16 X 3/4	3	.175/7 ga	500	6	18
TSP 101K	10-16 X 1	3	.175/7 ga	500	6	22
TSP 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25
TSP 10112K	10-16 X 1-1/2	3	.175/7 ga	400	6	24

HEX WASHER HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
THW 812K	8-18 X 1/2	2	.100/12 ga	1000	6	21
THW 858K	8-18 X 5/8	2	.100/12 ga	1000	6	26
THW 834K	8-18 X 3/4	2	.100/12 ga	1000	6	26
THW 81K	8-18 X 1	2	.100/12 ga	800	6	26
THW 8112K	8-18 X 1-1/2	2	.100/12 ga	500	6	22
THW 1012K	10-16 X 1/2	2	.100/12 ga	1000	6	29
THW 1058K	10-16 X 5/8	3	.175/7 ga	1000	6	32
THW 1034K	10-16 X 3/4	3	.175/7 ga	500	6	19
THW 101K	10-16 X 1	3	.175/7 ga	500	6	22
THW 10114K	10-16 X 1-1/4	3	.175/7 ga	500	6	25
THW 10112K	10-16 X 1-1/2	3	.175/7 ga	300	6	19
THW 1234K	12-14 X 3/4	3	.210/5 ga	500	6	26
THW 121K	12-14 X 1	3	.210/5 ga	500	6	28
THW 12112K	12-14 X 1-1/2	3	.210/5 ga	300	6	23
THW 122K	12-14 X 2	3	.210/5 ga	250	6	14
THW 1434K	1/4-14 X 3/4	3	.220/4 ga	300	6	22
THW 141K	1/4-14 X 1	3	.220/4 ga	300	6	26
THW 14114K	1/4-14 X 1-1/4	3	.220/4 ga	300	6	30
THW 14112K	1/4-14 X 1-1/2	3	.220/4 ga	250	6	39

PHILLIPS MODIFIED TRUSS HEAD

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TPW 812K	8-18 X 1/2	2	.100/12 ga	1,000	6	28

SHARP POINT SCREWS



Part No.	Head Style	Size	Jar Qty.	Case Qty.	Case Wt.
UTH 1034K	IHWH	10-16 X 3/4	700	6	24
STH 8916K	IHWH	8 X 9/16	1,000	6	21
STP 8916K	soc.pan	8 X 9/16	1,000	6	22

PHILLIPS MODIFIED TRUSS HEAD SHARP POINT

Zinc Plated



SPW 8916K		8 X 9/16	1,000	6	23
-----------	--	----------	-------	---	----

HEAVY GAUGE APPLICATIONS

HEX WASHER HEAD

RUSPRO® Coated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TRH 1278K4	12-24 X 7/8	4	.312/ 5/16"	500	6	26
TRH 12114K5	12-24 X 1-1/4	5	.500/ 1/2"	500	6	37
TRH 12112K5	12-24 X 1-1/2	5	.500/ 1/2"	300	6	28
TRH 122K5	12-24 X 2	5	.500/ 1/2"	250	6	27

WOOD TO METAL APPLICATIONS

SOCKET WAFFER HEAD WITHOUT REAMER

Zinc Plated



Part No.	Size	Point	Drilling Capacity	Jar Qty.	Case Qty.	Case Wt.
TSW 1034K	10-24 X 3/4	3	.175/7 ga	500	6	18
TSW 101K	10-24 X 1	3	.175/7 ga	500	6	23
TSW 10114K	10-24 X 1-1/4	3	.175/7 ga	300	6	26

SOCKET WAFFER HEAD REAMER SCREWS


Zinc Plated



TSW 10112RK	10-24 X 1-1/2	3	.175/7 ga	300	6	19
TSW 122RK	12-24 X 2	4	.312/5/16"	200	6	24
TSW 12212RK	12-24 X 2-1/2	4	.312/5/16"	150	6	23
TSW 123RK	12-24 X 3	4	.312/5/16"	100	6	24

ACOUSTIC EYE LAG SCREW

Zinc Plated



Part No.	Size	point	Jar Qty.	Case Qty.	Case Qty.
TLS 142K	1/4 X 2	2	200	6	24
TLS 142KN	1/4 X 2	2	150	6	24

CB SCREWS



Part No.	Size	point	Jar Qty.	Case Qty.	Case Qty.
CBS 114K	8 X 1-1/4		500	6	18
CBS 158K	8 X 1-5/8		500	6	23
CBS 214K	8 X 2-1/4		250	6	16
CBT 114K	8 X 1-1/4	2	500	6	19
CBT 158K	8 X 1-5/8	2	500	6	23

ZAMAC PIN BOLTS




Part No.	Size	Jar Qty.	Case Qty.	Case Wt.
ZAM 31678K	3/16 X 7/8	350	6	26
ZAM 141K	1/4 X 1	200	6	24
ZAM 14114K	1/4 X 1-1/4	150	6	15

NYLON PIN BOLTS



Part No.	Size	Jar Qty.	Case Qty.	Case Wt.
NYL 1434K	1/4 X 3/4	300	6	6
NYL 141K	1/4 X 1	200	6	5
NYL 14112K	1/4 X 1-1/2	100	6	6

TWISTER® ANCHOR



Part No.	Jar Qty.	Case Qty.	Case Wt.
JET 100K *without screw	150	6	14
JET 100KS *includes phillips screws	150	6	14
TWISTER-KS *includes phillips screws	1	12	19

BLUE PLASTIC PLUGS

1 masonry bit in each jar



Part No.	Size	Drill Size	Jar Qty.	Case Qty.	Case Wt.
UBP 68K	6-8 X 3/4	3/16	1000	12	9
UBP 810K	8-10 X 7/8	3/16	1000	12	8
UBP 1012K	10-12 X 1	1/4	500	12	9

YELLOW PLASTIC PLUGS

1 masonry bit in each jar



Part No.	Size	Drill Size	Anchor Qty.	Screw Qty.	Case Qty.	Case Wt.
UYP 48K	4-8 X 7/8	3/16	1000		12	10
UYP 812K	8-12 X 1-1/4	1/4	400		12	10
UYP 812KS	8-12 X 1-1/4	1/4	200	200	12	10

(#8 Square socket screw)



Scan to watch our latest
UCAN Super Scru-it
promo video!

SCRUIT DISPLAY PACKAGE

PEGS

PART NO.	QTY.
PEGS x 4 - DRILL BITS	
SCS5325	10
SCS5327	10
SCS3165	10
SCS3167	10

PART NO.	QTY. / CS.
PEGS x 13	
SCH316114CS	25
SCH316134CS	25
SCH316234CS	25
SCH14114CS	25
SCH14134CS	25
SCH14214CS	25
SCH14234CS	18
SCH14314CS	18
SCH144CS	18
SCP316134CS	25
SCP316214CS	25
SCP316234CS	25
SCP14134CS	25
(Suffix CS = clamshell)	
Each clamshell contains 50 screws & 1 drill bit	
SCH 144CS contains 25 screws & 1 drill bit	

SHELVES

PART NO.	QTY. / JAR	QTY.
TOP SHELF		
SCH316114K	300	6
SCH316134K	300	6
SCH316234K	150	6
SCH14114K	300	6
SCH14134K	300	6

PART NO.	QTY. / JAR	QTY.
SECOND SHELF		
SCP316134K	300	6
SCP316214K	150	6
SCP14134K	300	6
SCRUIT-TOOL PLUS		8

PART NO.	QTY.
THIRD SHELF	
SCH316114	1000
SCH14134	1000
SCH14114	1000
SCH316134	1000
SCH14214	1000
SCH14234	1000
SCH14314	1000



SCRUIT-TOOL PLUS
with 2 SDS Plus Drill Bits

*Please contact your UCAN sales representative or our customer service department for details.
Display may not be exactly as illustrated.


FR5-10 MAX
DISPLAY

NEW AND IMPROVED



FR5-10 MAX

- MTO / MTQ Approved
- Year round use
- Broad working temperature range from -20°C to +30°C
- Excellent for both solid and hollow wall applications
- Smooth flowing, non-drip, easy to control
- User friendly – low odour, styrene free and MMA free
- Moisture insensitive, non sag formula
- Suitable for damp and water filled holes
- Meets LEED guidelines; low VOC



IAPMO-ES®
Listed - ER0490



Scan to watch the video
for proper installation

Part No.Description	Case Qty.	Case Wt.
FR5-10 MAX10 oz Cartridge	12	14

*Please contact your UCAN sales representative or our customer service department for details.



32 cm
12.5 in

Scan to watch
the video for proper
installation



Part No. Description	Pkg. Qty.	Qty./ cs.
TWISTER CS	25	48
(includes #8 screw)		

PRODUCT FEATURES

- ✓ QUICK INSTALLATION
- ✓ CLEAN CUTTING
- ✓ SECURE GRIP
- ✓ FLUSH FINISH
- ✓ HIGH STRENGTH NYLON
- ✓ INSTALL BOTH ANCHOR & SCREW WITH #2 PH BIT

*Please contact your UCAN sales representative or our customer service department for details.



46 cm
18.1 in

DCC POP PACKAGE

PART NO.	DIAMETER	QTY.
DCC 14	1/4"	7
DCC 316	3/16"	7
DCC 516	5/16"	7
DCC 38	3/8"	7
DCC 12	1/2"	7
DCC 58	5/8"	7
DCC 34	3/4"	5
DCC MP	--	7


Scan to watch
the video for proper
installation



*Please contact your UCAN sales representative or our customer service department for details.

NEW

PREMIUM SDS PLUS POP



PART NO.	DIAMETER	QTY.
SDP 3166	3/16 x 6"	40
SDP 146	1/4 x 6"	40
SDP 386	3/8 x 6"	40
SDP 126	1/2 x 6"	40

**Please contact your Ucan sales representative or our customer service department for details.*

UNIVERSAL DRILL BIT POP

NEW



PART NO.	DIAMETER	QTY.
JUP 3164	3/16 x 4"	60
JUP 144	1/4 x 4"	30
JUP 386	3/8 x 6"	30

**Please contact your Ucan sales representative or our customer service department for details.*

UCAN FASTENING PRODUCTS

Established in 1967 by Harry Weitz, UCAN FASTENING PRODUCTS has been supplying high quality masonry and metal fasteners to the construction industry for over 50 years. With his extensive technical background in construction and architecture, Harry has always possessed a keen interest in fastener design, function and application.

Starting out as a wholesale distributor of innovative fastening products, made in the USA and Europe, UCAN was instrumental in bringing wedge anchors, concrete screws and galvanized spiral nail anchors to the Canadian market in the 1950s and 60s. Harry personally developed the EP932 tie wire anchor, which reduced installation time by 50%, as well as UCAN SCRU-IT®’s unique and efficient scalloped cutting thread. These fasteners gained immediate success in the marketplace.

From its’ humble beginnings in part of a cramped warehouse, UCAN currently operates from an efficient 35,000 sq ft facility in Toronto.


UCAN’s tight knit team of experienced, caring and knowledgeable outside and inside employees, provide an unrivalled level of customer service. Most orders are shipped the day they are received and order fill rates generally exceed 97%.

Also key to UCAN’s success is the company’s philosophy of constant product improvement through R&D and strict quality control at all stages of production.



UCAN remains a family owned business. While still involved at UCAN, Harry has passed the reins of the daily operation to his son, Jeremy who has been working at UCAN for over 30 years.

Jeremy and Harry Weitz



For more information on anchor selection and design criteria, as well as the latest performance data, please contact UCAN or visit our website at www.ucanfast.com

DISCLAIMER OF WARRANTIES AND LIABILITY

UCAN Fastening Products (UCAN) accepts no responsibility in case of any damage, loss, or injury, direct, indirect, incidental or consequential that results from the use of, or the inability to use, the text and technical data contained in the current or any subsequent editions and/or versions of the price list, technical manual or any other UCAN publications. All recommendations or suggestions for use of UCAN products are made without guarantee. Furthermore, UCAN accepts no responsibility for the performance of its products since the conditions of use are not under its control. Goods proved to be defective will be replaced, but UCAN accepts no responsibility beyond the cost of the goods supplied. Furthermore, UCAN accepts no responsibility in case of damage that results from non-compliance with the manufacturer’s installation instructions, improper sizing of anchor fastening by customer, inadequate load bearing properties of anchoring base material, improper applications, or any other factor not brought to the prior attention of UCAN.

Except as provided in this clause, UCAN accepts no liability with respect to delay in delivery or any injury, damage or loss resulting from the use of its products.

Limitation of damages – UCAN will not be liable to DISTRIBUTOR for loss of future sales, loss of profits or goodwill, loss of use or incidental, indirect, consequential or special damages. UCAN’s liability under this agreement, including its indemnification obligations, will not individually or in the aggregate exceed the amounts paid to UCAN by DISTRIBUTOR for the products giving rise to such liability.

EXCEPT FOR THE APPLICABLE LIMITED WARRANTY, UCAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED (INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT) CONCERNING ANY PRODUCT, AND ALL OTHER GUARANTEES, WARRANTIES, CONDITIONS AND REPRESENTATIONS, EITHER EXPRESS OR IMPLIED, ARE EXCLUDED



BUILDING LASTING CONNECTIONS



155 Champagne Drive, Unit 10
Toronto, Ontario, M3J 2C6
Tel.: 416.631.9400
Fax: 416.631.9426
Email: sales@ucanfast.com

www.ucanfast.com

©2022 UCAN FASTENING PRODUCTS

